



FIG. 1

FIG. 2



0007212322-112200

FIG. 3



0022TT-EETE2Z60

62

Application Development Environment

File Workspace View Tools Help

Framework

- Root
  - D:\MyClasses\gml
  - mx
  - ade
  - appcontainer
  - AppComponent.class
  - AppContainer.class
  - AppInfoService.class
  - AppInfoServiceProvider.class
  - AppProperty.class
  - LifeCycleService.class
  - LifeCycleServiceProvider.class
  - LifeCycleState.class
  - appcontroller
  - appmanager
  - beantool
  - comm
  - commandproc
  - description
  - frm
  - geom
  - hardware
  - msgid
  - reconcile
  - service
  - startup
  - uf
  - ull
  - viz

Workspace

- AppContainerBRI
- LifeCycleServiceProvider
- ReconcileManager
- CommandFactoryServiceProvider
- Explicit2dfContainer
- TableGeometry
- Magneticometry
- PatientDemometry
- Explicit2dfFactory
- SliceCollection
- CommandManagerServiceProvider
- CommandManagerServicesProxy
- HardwareObjectRegistryServiceProvider
- GradientHardwareObject
- MagnetHardwareObject
- RFHardwareObject
- ScanningAppController
- SnapshotManager
- RCController
- ScannerController
- ScannerOperationsFilter
- RxOperationsFilter

Properties

Name	Value
appId	0
delegated	false
designTime	false
empty	false
serializing	false

68


66

64

Messages

FIG. 4

FIG. 5



0972210333-142200






FIG. 6

四庫全書



Properties	
Name	Value
authorTime	bns
bandWidth	3.4MHz
connections	<a href="#">Click to Edit...</a>
consumerList	<a href="#">Click to Edit...</a>
duration	2.000ms
flipAngle	30
isDelay	1.302us
maxRFAmplitude	23.001
name	<a href="#">Save as new format</a>
numberOfDependentNodes	0
numberOfPendersNodes	0
passBandRipple	0.01
phaseType	Linear Phase
producerList	<a href="#">Click to Edit...</a>
pulseType	<a href="#">Pulse</a>
RTEvenCommandList	<a href="#">Click to Edit...</a>
sequenceId	100
startTime	bns
stopBandRipple	0.01
visible	true

FIG. 7




Fig. 8

62

80

68

84

61